



---

# **GCSE MARKING SCHEME**

---

**AUTUMN 2017**

**GCSE  
MATHEMATICS – NUMERACY  
UNIT 1 - INTERMEDIATE TIER  
3310U30-1**

## **INTRODUCTION**

This marking scheme was used by WJEC for the 2017 examination. It was finalised after detailed discussion at examiners' conferences by all the examiners involved in the assessment. The conference was held shortly after the paper was taken so that reference could be made to the full range of candidates' responses, with photocopied scripts forming the basis of discussion. The aim of the conference was to ensure that the marking scheme was interpreted and applied in the same way by all examiners.

It is hoped that this information will be of assistance to centres but it is recognised at the same time that, without the benefit of participation in the examiners' conference, teachers may have different views on certain matters of detail or interpretation.

WJEC regrets that it cannot enter into any discussion or correspondence about this marking scheme.



2(a)		B4	<i>Penalise incorrect units -1 once only B1 for each supermarket</i>
Supermarket	Cost of 6 lemons		
Cost 4go	(Can buy exactly 6 lemons Twice 3 for 2, 2x2x40p) <b>(£)1.6(0) or 160(p)</b>		
Edges Mart	(Has to buy 8 lemons 2 nets of 4 lemons) <b>(£)1.5(0) or 150(p)</b>		
Food Uno	(Has to buy 10 lemons 2 bags of 5 lemons) <b>(£)1.52 or 152(p)</b>		
Greenway	(Can buy exactly 6 lemons 6 x 26p) <b>(£)1.56 or 156(p)</b>		
Conclusion to buy at Edges Mart		E1	Accept ' <b>(£)1.5(0) or 150(p)</b> ' as indication of Edges Mart Depends on at least B2 previously awarded, then FT 'their cheapest cost' provided it is based on at least 3 costs calculated
Organisation and communication		OC1	For OC1, candidates will be expected to: <ul style="list-style-type: none"> <li>• present their response in a structured way</li> <li>• explain to the reader what they are doing at each step of their response</li> <li>• lay out their explanations and working in a way that is clear and logical</li> <li>• write a conclusion that draws together their results and explains what their answer means</li> </ul>
Accuracy of writing		W1	For W1, candidates will be expected to: <ul style="list-style-type: none"> <li>• show all their working</li> <li>• make few, if any, errors in spelling, punctuation and grammar</li> <li>• use correct mathematical form in their working</li> <li>• use appropriate terminology, units, etc.</li> </ul>
2(b) Food Uno with a reason, e.g. 'only an extra 2p for 2 more lemons', 'lemons only 15(.2)p each', '10 lemons for (£)1.52', 'he can get 10 lemons for a cheaper price than in other supermarkets', 'you get more lemons for less price', 'Food Uno, they give a bag of 5 for 1p more than Edges Mart with 4 lemons'		E1	FT from (a) provided at least B2 previously awarded in (a) with at least one of these B marks for either Edges Mart or Food Uno  Allow, e.g. 'it has the cheapest lemons for the number you get and you have more left over'

3(a) 35	B1	
<p>3(b) Need 8 metres of panels</p> <p>Panels, any indication of 1 the following:</p> <ul style="list-style-type: none"> <li>• 4 × 2 (m)</li> <li>• 2.5(m), 2(m), 2(m), 1.5(m)</li> <li>• 2.5(m), 2.5(m), 2(m), 1(m)</li> <li>• 2.5(m), 2.5(m), 1.5(m), 1.5(m)</li> </ul> <p>Cost for the fence as appropriate:</p> <ul style="list-style-type: none"> <li>• 5 × 14 + 4 × 30</li> <li>• 5 × 14 + 40 + 2 × 30 + 26</li> <li>• 5 × 14 + 2 × 40 + 30 + 18</li> <li>• 5 × 14 + 2 × 40 + 2 × 26</li> </ul> <p>(£) 190 OR (£) 196 OR (£) 198 OR (£) 202</p>	<p>S1</p> <p>B2</p> <p>M2</p> <p>A1</p>	<p>Stated or implied</p> <p><i>Posts and panels do not have to be shown in any particular order (also see diagram)</i></p> <p>FT from 8.5 – ‘their width for post(s)’, provided 4 possible whole panels are selected</p> <p>B1 for any 1 of the following:</p> <ul style="list-style-type: none"> <li>• if total length of their 4 panels adds to 8.5 m (posts forgotten)</li> <li>• if total length of their number of panels, ≠4, adds to 8 m</li> <li>• using 4 panels (not adding to 8m)</li> <li>• FT 8.5 – ‘their width for post(s)’ provided 2 or 3 whole panels are selected</li> </ul> <p><i>Do not accept any panels cut into fractions</i></p> <p>Ignore any incorrect units for M2 or M1</p> <p>FT provided B1 or S1 previously awarded for M2 or M1 (but A0)</p> <p>M1 for 1 of the following:</p> <ul style="list-style-type: none"> <li>• calculation costing ‘their panels’ only (posts not included),</li> <li>• cost of posts (5 × 14 =) (£) 70, which may be elicited from within a calculation</li> </ul> <p>CAO</p> <p>Only these answers accepted and <b>must be from</b> correct working.</p> <p>Do not ignore incorrect units, if a unit is given it must be correct</p>
<p>3(c) 1(.)50 × 0(.)10 × 4 × (0.0)2</p> <p>120(p) OR (£)1.2(0)</p>	<p>M2</p> <p>A1</p>	<p>Allow inconsistent units for M marks</p> <p>Ignore any extra faces painted</p> <p>M1 for 1(.)50 × 0(.)10 with either × 4 or × (0.0)2</p> <p>CAO, if units are given they must be correct for A1</p> <p><i>Do not ignore further working, such as painting top and/or bottom of the post (for A mark)</i></p>

<p>4.</p> <p>a = 113° b = 108°</p> <p>c = 51°</p> <p>d = 51°</p>	<p>B1 B1  B1  B1</p>	<p>FT throughout</p> <p>FT 360 – 67 – 72 – 'their a', or 221 – 'their a' (Check if <math>a + b = 221</math>)</p> <p>FT 180 – 21 – 'their b', or 159 – 'their b' (Check if <math>b + c = 159</math>)</p> <p>FT for 'their d' = 'their c' provided <math>c \neq 90^\circ</math> and <math>c \neq 180^\circ</math> or any other multiple of <math>90^\circ</math></p>
<p>5(a) All 6 plots correct</p>	<p>B2</p>	<p>B1 for</p> <ul style="list-style-type: none"> <li>• any 3, 4 or 5 correct plots not joined point to point, or</li> <li>• all 6 correct plots but joined point to point</li> </ul> <p>Ignore sight of any attempt at a line of best fit</p>
<p>5(b) YES and a reason, e.g. 'positive correlation', 'increase in height with increase in waist', 'the height and waist are increasing'</p>	<p>E1</p>	<p>Do not accept reference using values from the table, without further explanation</p>
<p>5(c) Reason, e.g. 'the measurements for these 6 people show correlation, but people don't come in standard sizes', 'it is only 6 people', 'not all people follow the trend', 'waist and height measurements are not directly proportional', 'not enough data', 'you really need more data to tell', 'because she could have chosen the people on purpose to prove her point', 'because some people are thinner than others but the same height', 'some waists might be the same as others'</p>	<p>E1</p>	<p><u>Ignore additional comments referring to improvement</u></p> <p>Allow, e.g. 'Ffion has not considered children', 'because waist sizes often vary', 'because not everybody is the same', 'they are not always in a straight line'</p> <p>Do not accept, e.g. 'could be measured incorrectly', 'could repeat the experiment', 'measure more people', 'get more data' (implies how to improve, not a comment on the data given)</p> <p><i>Do not accept reasons based on how to improve the experiment alone</i></p>

<p>6(a) <math>5 \times 13 + 26 + 9 \times 7 + 38</math>  <math>(91 + 101)</math>  <math>(£)192</math></p> <p>(Change) (£) 8</p>	<p>M1 A1 B1</p>	<p>Attempt to add must be implied, not for sight of <math>5 \times 13 + 26</math> and <math>9 \times 7 + 38</math>            CAO            If units are given they must be correct</p> <p>FT 200 - 'their £192' provided <math>\leq</math> £200 and either</p> <ul style="list-style-type: none"> <li>• (£)91 or (£)101 seen in a sum of two amounts, or</li> <li>• M1 previously awarded</li> </ul> <p><i>Do not accept either</i>  <math>5 \times 13 + 26 + 9 \times 5 + 38 (= £174)</math> or <math>7 \times 13 + 26 + 9 \times 7 + 38 (= £218)</math> as misreads, however award of B1 may be possible</p>																											
<p>6(b) Equating <math>13x + 26</math> with <math>9x + 38</math> or sight of a correct evaluated trial of the same number of days for cement mixer and jet washer</p> <p><math>13x - 9x = 38 - 26</math> or <math>4x = 12</math> or <math>x = 12/4</math> or trial &amp; <u>improvement</u> (i.e. testing for a number of days with a 2<sup>nd</sup> trial getting closer to 3 days unless original trial is 3 days)</p> <p>3 (days)</p>	<p>B1 M1 A1</p>	<p>Formal notation is not required            Sight of <math>13x + 26</math> with <math>9x + 38</math> is insufficient without further correct working</p> <p>FT equivalent level of difficulty            Method to solve may be informal</p> <p>CAO. Some relevant working must be seen to award all 3 marks            Do not award all 3 marks for an <u>unsupported</u> correct response, however award SC2</p> <p>Sight of both costing (£)65 is B1, M1, but A0 if 3 days not seen in working            A final answer of 65 (days) is B1, M1, A0</p> <table border="1" data-bbox="900 1339 1350 1659"> <thead> <tr> <th>Number of days</th> <th>Cement mixer £</th> <th>Jet washer £</th> </tr> </thead> <tbody> <tr><td>1</td><td>39</td><td>47</td></tr> <tr><td>2</td><td>52</td><td>56</td></tr> <tr><td>3</td><td>65</td><td>65</td></tr> <tr><td>4</td><td>78</td><td>74</td></tr> <tr><td>5</td><td>91</td><td>83</td></tr> <tr><td>6</td><td>104</td><td>92</td></tr> <tr><td>7</td><td>117</td><td>101</td></tr> <tr><td>8</td><td>130</td><td>110</td></tr> </tbody> </table>	Number of days	Cement mixer £	Jet washer £	1	39	47	2	52	56	3	65	65	4	78	74	5	91	83	6	104	92	7	117	101	8	130	110
Number of days	Cement mixer £	Jet washer £																											
1	39	47																											
2	52	56																											
3	65	65																											
4	78	74																											
5	91	83																											
6	104	92																											
7	117	101																											
8	130	110																											
<p>7. A line from Ty Gwyn of <math>9\text{cm} \pm 2\text{mm}</math> or an unambiguous point within tolerance (indication of <math>9\text{cm} \pm 2\text{mm}</math>)</p> <p>Showing arcs for bisection of the angle            Correct bisection of the angle <math>\pm 2^\circ</math>, with the line shown</p>	<p>B1 M1 A1</p>	<p>May be outside tolerance</p>																											

8(a)(i) (Ysgol) Caewen and (Year Group) 10	B1	
8(a)(ii) FALSE TRUE FALSE TRUE TRUE	B3	All 5 correct  B2 for any 4 correct B1 for any 3 correct
8(b)(i) 1480 (miles)	B2	B1 for sight of any one of <ul style="list-style-type: none"> <li>• <math>200 \div 5</math></li> <li>• 40 (miles) in 1 year</li> <li>• 80 (miles in 2 years)</li> </ul> B0 for an answer for 2018 as 1600 (miles) <i>Ignore statement of incorrect unit, such as km for miles</i>
8(b)(ii) Reason suggesting rate of increase not necessarily linear, e.g. 'unlikely to be a constant rate of increase', 'not a uniform pattern each year', 'they can vary', 'because there can be more one year than another year', 'it is a total over 5 years so the number each year can increase or decrease', 'not the same miles every time', 'there could be more routes in different years', 'don't know what will happen', 'because this is just an estimate based on previous data', 'cycling becoming more popular, rate may increase because of it', 'could have run out of money'	E1	Do not allow if additional incorrect statements are made  Allow, e.g. 'because it can change', 'perhaps they have not built any more since 2016', 'cycling becoming more popular', 'January 2018 hasn't happened yet'  Do not accept, e.g. 'because it is an estimate'



<p>10(a)(i) Median in the inclusive range 16.8 to 17 (minutes)</p> <p>Interquartile range 19 to 19.3 - 14 to 14.3 Answer in the range 4.7 to 5.3 (minutes)</p>	<p>B1</p> <p>M1 A1</p>	
<p>10(a)(ii) Reason, e.g. 'the points on the diagram have been joined with straight lines', 'the data has been grouped, so actual times have been lost', 'the raw data is more detailed (than graph)', 'not exact using a cumulative frequency diagram', 'it is just an estimate using the diagram'</p>	<p>E1</p>	<p>Allow, e.g. 'the raw data is more detailed than Meirion's data' (although both Meirion's data!), 'the points could be joined by a curve'</p> <p>Do not accept, e.g. 'seconds can not be presented'</p>
<p>10(b) 34 – 12 22 (of his customers)</p>	<p>M1 A1</p>	
<p>10(c) Sight of either of the following:</p> <ul style="list-style-type: none"> <li>• (80% of 120 =) 96 (customers) <b>OR</b> (20 minutes is) 102 (customers)</li> <li>• (20% not cleaned in 20 minutes is) 24 (customers) <b>OR</b> 18 (customers more than 20 minutes)</li> </ul> <p>Sight of any of the following:</p> <ul style="list-style-type: none"> <li>• (80% of 120 =) 96 (customers) <b>AND</b> (20 minutes is) 102 (customers)</li> <li>• (20% not cleaned in 20 minutes is) 24 (customers) <b>AND</b> 18 (customers more than 20 minutes)</li> <li>• (96 customers is )19.3 to 19.8 (minutes)</li> <li>• (102 customers is <math>102/120 \times 100 =</math>) 85%</li> <li>• (102 customers is <math>102/120 \times 100 =</math>) 85%</li> <li>• (18 customers is <math>18/120 \times 100 =</math>) 15%</li> </ul> <p>Conclusion 'yes'</p>	<p>M1</p> <p>M1</p> <p>A1</p>	<p>Accept readings on the graph</p> <p>Accept readings on the graph</p> <p>CAO from correct working only and M2 awarded Accept 'no as 85% (<b>not</b> 80%) in less than 20 minutes'</p>

11(a) 21p	B1	
11(b)		<u>Throughout: if units are given they must be correct, or a consistent FT from 5 charges in (a)</u>
Number of units of electricity (14400 – 13900 =) 500 (units)	B1	
(Charge for electricity) 500 × 21(p)	M1	FT 'their 14400 – 13900', or 14400 – 13450 (= 950) Allow M1 (but A0) for any of, e.g. <ul style="list-style-type: none"> <li>• (14400 × 21p =) (£)3024</li> <li>• (13900 × 21p =) (£)2919</li> <li>• (13450 × 21p =) (£)2824.5(0)</li> <li>• ( 450 × 21p =) (£)94.5(0)</li> </ul> or equivalent answers in pence (These do not involve a subtraction of units)
(£)105	A1	Accept 10500p or £105.00p FT provided subtraction of units has been attempted calculation examples: <ul style="list-style-type: none"> <li>• 21p × 950 = (£)199.5(0)</li> <li>• 20.5p × 500 = (£)102.5(0)</li> <li>• 21.5p × 500 = (£)107.5(0)</li> <li>• 22p × 500 = (£)110</li> <li>• 22.5p × 500 = (£)112.5(0)</li> </ul>
Standing charge for August, September and October (£)23.4(0)	B1	CAO
Total charges (105 + 23.40 =) (£)128.4(0)	B1	FT 'their charge for electricity' + 'their standing charge', <b>provided</b> these amounts are from: <ul style="list-style-type: none"> <li>• M1 previously awarded, <b>and</b></li> <li>• 'their standing charge &gt; £22.80 but ≤£24</li> </ul> FT 500 units examples: (20.5p) £23.40 + 102.50 = £125.90 (21.5p) £23.40 + 107.50 = £130.90 (22p) £23.40 + 110.00 = £133.40 (22.5p) £23.40 + 112.50 = £135.90
5% VAT (£)6.42	B1	FT provided at least M1 and B1 previously awarded (Possible VAT FT 500 units with <u>consistent</u> use of: 20.5p leads to £6.29, £6.295, £6.30 21.5p leads to £6.54, £6.55, £6.545 22p leads to £6.67 22.5p leads to £6.79, £6.795, or £6.80
Total bill (£)134.82	B1	CAO
<b>See next page.</b>		

<p>Budget calculation involving at least 2 of the key amounts, i.e.  <math>(£)470 - (£)134.82 - (£)330</math>, or  <math>(£)470 - (£)134.82</math>, or  <math>(£)470 - (£)330</math>, or  <math>(£)134.82 + (£)330</math></p> <p>Conclusion from a correctly evaluated calculation, e.g.          'yes'          'able to afford as £335.18 left after paying for electricity',          'afford as would be left with £140 after buying the washing machine to pay the electricity bill',          'she can buy it and have £5.18 left',          'it only costs £464.82, £470 in the bank'</p>	<p>M1</p> <p>A1</p>	<p>FT 'their £134.82' provided at least 3 marks previously awarded</p> <p>FT from M1 for an appropriate conclusion with a correctly evaluated calculation</p>
<p>12(a)(i) Orange pippin and 57 (mm)</p>	<p>B1</p>	<p>Accept 'orange' or 'pippin' as indication of the correct tree</p>
<p>12(a)(ii) 41 (mm)</p>	<p>B1</p>	
<p>12(a)(iii) Pink Lady and 33 (mm)</p>	<p>B2</p>	<p>B1 for any of the following:</p> <ul style="list-style-type: none"> <li>• Gala with 30 (mm)</li> <li>• Orange pippin 29 (mm)</li> <li>• Pink Lady with 79 – 46</li> <li>• No apple indicated but IQR answer 33 (mm)</li> </ul>
<p>12(b)</p> <p>Gala selected with a reason e.g.          '(highest) upper quartile',          '25% over 80 mm'</p> <p><b>OR</b></p> <p>Pink Lady selected with a reason e.g.          '(highest) median',          'half are over 63 mm'</p>	<p>B1</p>	<p>Ignore units throughout          Do not accept reasons based on range or IQR          Do not ignore additional any statements of range, IQR, lower quartile</p> <p>Ignore an incorrect median stated for Pink Lady, e.g. 66mm, provided it is &gt;61 and &lt;67(mm)</p>
<p>13. <math>4 \times 15 \div 6</math> or <math>4 \times 2.5</math> or <math>4 + 4 + 2</math>          or equivalent</p> <p style="text-align: right;">10 (cm)</p>	<p>M1</p> <p>A1</p>	<p>Allow M1 for <math>\frac{\text{height}}{15} = \frac{4}{6}</math> or <math>\frac{\text{height}}{4} = \frac{15}{6}</math></p> <p>CAO</p>