Surname	Centre Number	Candidate Number
Other Names		0



### **GCSE**

3310U60-1



# MATHEMATICS – NUMERACY UNIT 2: CALCULATOR-ALLOWED HIGHER TIER

THURSDAY, 10 MAY 2018 - MORNING

1 hour 45 minutes

#### **ADDITIONAL MATERIALS**

A calculator will be required for this paper.

A ruler, a protractor and a pair of compasses may be required.

#### **INSTRUCTIONS TO CANDIDATES**

Use black ink or black ball-point pen. Do not use gel pen or correction fluid.

You may use a pencil for graphs and diagrams only.

Write your name, centre number and candidate number in the spaces at the top of this page.

Answer **all** the questions in the spaces provided.

If you run out of space, use the continuation page at the back of the booklet. Question numbers must be given for the work written on the continuation page.

Take  $\pi$  as 3·14 or use the  $\pi$  button on your calculator.

#### INFORMATION FOR CANDIDATES

You should give details of your method of solution when appropriate.

Unless stated, diagrams are not drawn to scale.

Scale drawing solutions will not be acceptable where you are asked to calculate.

The number of marks is given in brackets at the end of each question or part-question.


In question **1**(*a*), the assessment will take into account the quality of your linguistic and mathematical organisation, communication and accuracy in writing.




For Examiner's use only					
Question	Maximum Mark	Mark Awarded			
1.	7				
2.	6				
3.	9				
4.	8				
5.	5				
6.	7				
7.	9				
8.	5				
9.	6				
10.	10				
11.	8				
Total	80				

#### Formula List - Higher Tier

Area of trapezium =  $\frac{1}{2}(a+b)h$ 



Volume of prism = area of cross-section × length




Volume of sphere =  $\frac{4}{3}\pi r^3$ Surface area of sphere =  $4\pi r^2$ 



Volume of cone =  $\frac{1}{3}\pi r^2 h$ 

Curved surface area of cone =  $\pi r l$ 




In any triangle ABC

Sine rule 
$$\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$$

**Cosine rule** 
$$a^2 = b^2 + c^2 - 2bc \cos A$$

Area of triangle = 
$$\frac{1}{2}ab \sin C$$



### The Quadratic Equation

The solutions of  $ax^2 + bx + c = 0$  where  $a \ne 0$  are given by  $x = \frac{-b \pm \sqrt{(b^2 - 4ac)}}{2a}$ 

$$x = \frac{-b \pm \sqrt{(b^2 - 4ac)}}{2a}$$

## **Annual Equivalent Rate (AER)**

AER, as a decimal, is calculated using the formula  $\left(1+\frac{i}{n}\right)^n-1$  , where i is the nominal interest rate per annum as a decimal and n is the number of compounding periods per annum.



# **BLANK PAGE**

# PLEASE DO NOT WRITE ON THIS PAGE



1.		tober 2011, a charge of 5p for a carrier bag was introduced in Wales. ey raised from this charge is given to charity.
	£16.8	ne period 1st October 2011 to 31st January 2015, it was estimated that a total of between smillion and £21.9 million was donated to charity. This is as a result of people buying 5p er bags.
	(a)	In this part of the question, you will be assessed on the quality of your organisation, communication and accuracy in writing.
		Calculate an estimate of how much per month was given to charity between 1st October 2011 and 31st January 2015.
		You must show all your working. [4 + 2 OCW]
	• • • • • • • • • • • • • • • • • • • •	




What impact might this have had on the amount given to charity for the september 2014 when compared with September 2012?	month o
	•••••



© WJEC CBAC Ltd. (3310U60-1) Turn over.

[5]

 (a) Megan and Rhodri both set out at the same time from home to go to the swimming pool. Rhodri travels by car. Megan cycles straight through the park.



Rhodri's route

Diagram not drawn to scale

Rhodri's journey by car is 5.5 miles. His average speed for the journey is 22 mph.

Megan's average speed on her bike is 12 mph. Megan arrives at the swimming pool 5 minutes before Rhodri.

Calculate the distance Megan cycles. Give your answer in miles. You must show all your working.

•••••••••••••••••••••••••••••••••••••••
 •••••••••••••••••••••••••••••••••••••••
······································
······································
•••••••••••••••••••••••••••••••••••••••



© WJEC CBAC Ltd.

(3310U60-1)

Distance Megan cycles is ..... miles

(b)	(b) Gary travelled a distance of 231 km in 3 hours and 30 minutes. Calculate Gary's average speed in km/h. Circle your answer.					[1]
	0.015	1.1	66	70	77	
•••••						••••••••••
•••••						



© WJEC CBAC Ltd. (3310U60-1) Turn over.

- **3.** Yared is going to make a door wedge.
  - (a) The cross-section of the wedge is shown below.

    The horizontal length is 12 cm and the vertical height is 3 cm.




Diagram not drawn to scale

(i)	Calculate the length <i>x</i> .	
	Give your answer correct to 3 significant figures.	[4]
•••••		
•••••		
•••••		
	x = cm	
(ii)	The wedge must fit under Yared's door.	
	The angle $y$ must be less than 15°. Show that this wedge will fit under Yared's door.	
	You must show all your working.	[3]
•••••		



Yared decides to make a larger wedge that is mathematically **similar** to the one shown in (b) part (a). This wedge is to have a vertical height of 4.5 cm.




Diagram not drawn to scale

Calculate the horizontal lengt	h of this door wedge.		[2]
The wedge w	vill be	cm long	



Examiner only

4	A arooo	racetrack	:~	ahaura i	in	tha	dicarom	halaw
4.	A ylass	Iaccuack	15	SHOWILL	ш	เมเษ	ulaylalli	DEIOW.

This is the region shaded in the diagram.
Each end of the grass racetrack is created from semicircles.

The inner semicircles have a radius of 15 m.

The outer semicircles have a radius of 20 m. Each of the straight sections of the racetrack has a length of 65 metres.




Diagram not drawn to scale

(a)	You must show all your working.	[2]



(c) The grass is to be treated with a fertiliser. It costs 20p to treat each 3 m² of grass. How much will it cost to treat the grass racetrack? Give your answer correct to the nearest pound. You must show all your working.	
It costs 20p to treat each 3 m <sup>2</sup> of grass.  How much will it cost to treat the grass racetrack?  Give your answer correct to the nearest pound.	
It costs 20p to treat each 3 m <sup>2</sup> of grass.  How much will it cost to treat the grass racetrack?  Give your answer correct to the nearest pound.	
It costs 20p to treat each 3 m <sup>2</sup> of grass.  How much will it cost to treat the grass racetrack?  Give your answer correct to the nearest pound.	
It costs 20p to treat each 3 m <sup>2</sup> of grass.  How much will it cost to treat the grass racetrack?  Give your answer correct to the nearest pound.	••••
It costs 20p to treat each 3 m <sup>2</sup> of grass.  How much will it cost to treat the grass racetrack?  Give your answer correct to the nearest pound.	••••
It costs 20p to treat each 3 m <sup>2</sup> of grass.  How much will it cost to treat the grass racetrack?  Give your answer correct to the nearest pound.	••••
It costs 20p to treat each 3 m <sup>2</sup> of grass.  How much will it cost to treat the grass racetrack?  Give your answer correct to the nearest pound.	••••
It costs 20p to treat each 3 m <sup>2</sup> of grass.  How much will it cost to treat the grass racetrack?  Give your answer correct to the nearest pound.	
It costs 20p to treat each 3 m <sup>2</sup> of grass.  How much will it cost to treat the grass racetrack?  Give your answer correct to the nearest pound.	
It costs 20p to treat each 3 m <sup>2</sup> of grass.  How much will it cost to treat the grass racetrack?  Give your answer correct to the nearest pound.	
It costs 20p to treat each 3 m <sup>2</sup> of grass.  How much will it cost to treat the grass racetrack?  Give your answer correct to the nearest pound.	
It costs 20p to treat each 3 m <sup>2</sup> of grass.  How much will it cost to treat the grass racetrack?  Give your answer correct to the nearest pound.	
It costs 20p to treat each 3 m <sup>2</sup> of grass.  How much will it cost to treat the grass racetrack?  Give your answer correct to the nearest pound.	
It costs 20p to treat each 3 m <sup>2</sup> of grass.  How much will it cost to treat the grass racetrack?  Give your answer correct to the nearest pound.	
It costs 20p to treat each 3 m <sup>2</sup> of grass.  How much will it cost to treat the grass racetrack?  Give your answer correct to the nearest pound.	
It costs 20p to treat each 3 m <sup>2</sup> of grass.  How much will it cost to treat the grass racetrack?  Give your answer correct to the nearest pound.	
It costs 20p to treat each 3 m <sup>2</sup> of grass.  How much will it cost to treat the grass racetrack?  Give your answer correct to the nearest pound.	
Cost is £	



3310U601

**5.** Hot water is often stored in cylinders. The water in the cylinder is heated for use in the shower.



A plumbing engineer wants to calculate how long a shower can be used continuously before the water runs cold. He uses the following formulae:

$$C = \frac{H(X - M)}{M - Y}$$
 and  $T = \frac{C + H}{F}$ 

Where:

*C* is the additional volume of water that feeds into the cylinder, in litres.

*H* is the volume of hot water that the cylinder holds, in litres.

M is the temperature of the water in the shower, in °C.

X is the temperature of the hot water in the cylinder, in  $^{\circ}$ C.

Y is the temperature of the cold water that feeds into the cylinder, in  $^{\circ}$ C.

*T* is the time spent using the shower before the water runs cold, in minutes.

*F* is the rate of flow of water in the shower, in litres per minute.

Daisy's cylinder holds 300 litres of hot water.

The temperature of the hot water in her cylinder is 60°C.

The temperature of the cold water that feeds into Daisy's cylinder is 8°C.

The water in Daisy's shower is set at a temperature of 32°C.

Her shower has a rate of flow of 26 litres per minute.




• th	e additional e number of	minutes L	Jaisy's sr	nower will	run cont	inuously b	efore the	water rur	ns cold. [
•••••		••••••		•••••					
•••••		••••••							
•••••						•••••			
•••••						•••••			
•••••		•••••		•••••					
•••••		•••••							
						•••••			



© WJEC CBAC Ltd. (3310U60-1) Turn over.

**6.** Dr Khan and her daughter Faryl have different opinions about the mean temperature in their hallway.

Dr Khan and Faryl recorded the temperature in the hallway at 4 p.m. each day during the 30 days of April.



(a) In her note pad, Dr Khan summarised the temperatures in a grouped frequency table.

Unfortunately, Dr Khan has torn the page containing the table from her note pad and has lost some of the original data.

Temperature, t (°C)	Number of days
20 ≤ <i>t</i> < 21	4
21 ≤ <i>t</i> < 22	8
22 ≤ <i>t</i> < 23	8
23 ≤ <i>t</i> < 24	and the same of th

Calculate an estimate of the mean temperature at 4 p.m. for these hallway.	e 30 days in Dr Khan's [5]
Estimate of the mean temperature at 4 p.m. for April in the hallway is	°C




(b)	What assumption have you made in calculating an estimate of 4 p.m. for April in Dr Khan's hallway?	[
(c)	Faryl recorded the same temperatures as her mother at 4 p.m. She found that the <b>actual</b> mean temperature in the hallway dur the correctly calculated estimate of the mean.	ring April was <b>lower</b> tha
	Explain how this can be true.	[

7. Gwen fills a 10-litre bucket with water from a tap. She turns the tap until it is fully open. The bucket fills up with water, and when Gwen thir close to being full, she slowly closes the tap. The bucket is full after 20 seconds.	าks it is
--	-----------

The graph below shows the volume of water in the bucket during the 20 seconds.

Volume of water (litres)



(a)	After how many seconds did Gwen start to close the tap?	[1]

(b)	Estimate at what rate water is entering the bucket at time $t = 10$ seconds. Give your answer in litres per second.	[3]

(c) Wh	en the tap is fully open, water flows out at 2 litres per second.	
(i)	Express 2 litres per second in <b>gallons per minute</b> . You must show all your working.  Remember 1 gallon = 8 pints	<b>i</b> ]
(ii)	Can a fully open tap fill a 90-gallon tank in under $3\frac{1}{2}$ minutes?  You must show all your working.	 !]



													1		
		picture	÷s												
•			2	2010	cm							-	-		
		D	iagram no	ot dra	awn	to sca	ale								
The length of	s are all squ of the corrid										est	0.5	cm.		
															_
	e smallest r	umber of	pictures a								res	that	t car	n be	fi
	ie smallest r	umber of	pictures a								res	that	t car	n be	fi
	e smallest r	umber of	pictures a								res	that	t car	n be	fi
	ne smallest r	umber of	pictures a								res	that	t car	n be	fi
	ne smallest r	umber of	pictures a								res	that	t car	n be	fi 
	ne smallest r	umber of	pictures a								res	that	: car	1 be	fi
	ne smallest r	umber of	pictures a								res	that	t car	be I be	fi
	ne smallest r	number of	pictures a								res		t car	t be	fi
	ne smallest r	umber of	pictures a								res	that	t car	be in be	fi
	ne smallest r	umber of	pictures a								res	that	t car	n be	fi
	ne smallest r	number of	pictures a								res	that	t car	t be	fii
in the row.					he g	reate	st nu	mbei	of p	ictu			t car	) be	fi
in the row.	Smallest nur				he g		st nu	mbei	of p	ictu			t car	n be	fi







(a)	Circle either TRUE or FALSE for each statement give	n below.	
	STATEMENT		
A nomi	nal annual interest rate is <b>not</b> the same as an AER.	TRUE	FALSE
2%, wit	ngs account offers a nominal annual interest rate of the interest paid monthly.  year, any investment will have increased in value by 2%.	TRUE	FALSE
monthly	ngs account offers an AER of 2.4%, with interest paid y. Onthly interest rate the account offers will be exactly	TRUE	FALSE
interest There a	s invested in a savings account that pays monthly at a rate of 1%.  are no further transactions into or out of the account.  nount in the account after a year will be £112.	TRUE	FALSE
	He does not make any further payments into the acmoney either.  After a year, there is £1036 in the account.  Calculate how much was in the account after 6 month Give your answer correct to the nearest penny.		not withdraw
	You must show all your working.		



**10.** (a) A company makes plastic shelf supports for use in kitchen cupboards. A shelf support is made by attaching a cylinder to a right-angled triangular prism.




Diagram not drawn to scale

The company sells the shelf supports in packs of 500. It needs to know the volume of plastic in 500 shelf supports.

The cylinder has a diameter of 6 mm and a length of 9 mm. The prism has dimensions CD = 8 mm, DE = 8 mm, CE = 11.3 mm and BC = 10 mm.

Calculate the volume of 500 shelf supports.	[4]
	·······

Volume of 500 shelf supports = .....



(b)



The company also makes metal door handles for kitchen cupboards.

One of the door handles it makes is shown below.

It is formed by joining two cylinders.

One of the cylinders has a diameter of 4 cm and a length of 1.2 cm.

The other cylinder has a diameter of 1.8 cm and a length of 3 cm.




Diagram not drawn to scale

At present, the company paints **all** the surfaces of the handle with a protective finish **after** the two cylinders have been joined together.

The shaded circular face is pressed against a cupboard door when fitted. In future, the company is not going to paint this shaded circular face. This is to reduce costs.

Calculate the percentage reduction in the area that is painted.	[6]



Exam onl
On



Examiner only

11. A sensor can detect any movement up to a distance of 6.5 m.




Diagram not drawn to scale

- A storeroom is in the shape of a cuboid, as shown below. The sensor is placed at A, so that
  it is aimed directly at B, where BD = 2m,
  the front of the sensor is 20 cm from A along the line AB.




Diagram not drawn to scale

You must show all your working.	[5]



© WJEC CBAC Ltd.

	E
(b) Show that $\widehat{BAE} = 61.3^{\circ}$ , correct to 1 decimal place.	[3]
(b) Show that $\widehat{BAE} = 61.3^\circ$ , correct to 1 decimal place.	[3]
(b) Show that $\widehat{BAE} = 61.3^\circ$ , correct to 1 decimal place.	[3]
Show that $\widehat{BAE} = 61.3^\circ$ , correct to 1 decimal place.	[3]
Show that $\widehat{BAE} = 61.3^\circ$ , correct to 1 decimal place.	[3]
	[3]
	[3]





# PLEASE DO NOT WRITE ON THIS PAGE



Question number	Additional page, if required. Write the question number(s) in the left-hand margin.	Examine only
	Time the question names (e) in the left name mangini	
		······





