



GCSE MARKING SCHEME

AUTUMN 2023

**GCSE
MATHEMATICS
UNIT 1 – FOUNDATION TIER
3300U10-1**



INTRODUCTION

This marking scheme was used by WJEC for the 2023 examination. It was finalised after detailed discussion at examiners' conferences by all the examiners involved in the assessment. The conference was held shortly after the paper was taken so that reference could be made to the full range of candidates' responses, with photocopied scripts forming the basis of discussion. The aim of the conference was to ensure that the marking scheme was interpreted and applied in the same way by all examiners.


It is hoped that this information will be of assistance to centres but it is recognised at the same time that, without the benefit of participation in the examiners' conference, teachers may have different views on certain matters of detail or interpretation.


WJEC regrets that it cannot enter into any discussion or correspondence about this marking scheme.

WJEC GCSE MATHEMATICS
AUTUMN 2023 MARKING SCHEME

GCSE Mathematics Unit 1: Foundation Tier	Mark	Comments
1.(a) 6·4 (cm)	B1	Accept 6·2 (cm) to 6·6 (cm)
1.(b) 53 (°)	B1	Accept 51 (°) to 55 (°)
2.(a) 106 000	B2	B1 for one of the following: <ul style="list-style-type: none"> sight of 53000 one hundred and six thousand correctly doubling 'their 53 000' if it is first written in figures, provided 'their 53 000' is at least four figures and starts with the digits 5 and 3 (i.e. a place value error). 106 followed by a minimum of two zeros
2.(b) 3600	B1	
2.(c) 42	B1	
2.(d) 1000 OR 980 OR 1030	B2	B1 for 100 × 10 OR 100 × 9·8 OR 103 × 10
2.(e) No, with appropriate working e.g. <ul style="list-style-type: none"> $(626 \div 3 =) 208 \text{ r.}2$ $(626 \div 3 =) 208\cdot6(6\dots)$ $6 + 2 + 6 = 14$ AND 14 is not a multiple of 3 $3 \times 208 = 624$ AND $3 \times 209 = 627$ 	B1	Allow No with 208·2 Arithmetic seen must be correct and show a remainder of 2 or first decimal place.
3.(a) unlikely	B1	
3.(b) impossible	B1	
4. 	B2	B1 for any one of the following: <ul style="list-style-type: none"> a rectangle with length = 7 a rectangle with width = 6 drawing pattern 4 i.e. length = 6 AND width = 5 drawing pattern 6 i.e. length = 8 AND width = 7 drawing the correct pattern in the wrong orientation
5.(a) 	B2	B1 for either: <ul style="list-style-type: none"> 3 or 4 correct lines and no more than 1 incorrect line 2 correct lines and 0 incorrect lines
5.(b) 5	B1	

6.(a) (6,4)	B1	
6.(b)(i) D plotted at $(-7, -5)$	P1	
6.(b)(ii) $(-7, -5)$	B1	FT 'their D' provided both coordinates are negative
7.(a)(i) $(p =) 12$	B1	Allow B1 for a correct embedded answer BUT B0 if contradicted by $p \neq 12$.
7.(a)(ii) $(n =) 14$	B1	Allow B1 for a correct embedded answer BUT B0 if contradicted by $n \neq 14$.
7.(b) 2480 (cm)	B1	
8. $180 (^{\circ}) - 147 (^{\circ})$ $(x =) 33 (^{\circ})$	M1 A1	Allow M1A1 for a correct embedded answer BUT M1A0 if contradicted by $x \neq 33$.
9. (Shorter length = $8 - 6 =) 2$ (cm) (Perimeter of whole shape =) $2 \times (5 + 8 + 5 + 2)$ 40 (cm)	B1 M1 A1	May be seen on the diagram Or equivalent FT 'their stated or derived 2'
<i>Alternative method</i> (Perimeter of one rectangle = $8 + 5 + 8 + 5 =) 26$ (cm) (Perimeter of whole shape =) $2 \times 26 - 2 \times 6$ 40 (cm)	B1 M1 A1	May be seen in later workings Or equivalent FT 'their 26'
Organisation and Communication	OC1	For OC1, candidates will be expected to: <ul style="list-style-type: none"> present their response in a structured way explain to the reader what they are doing at each step of their response lay out their explanation and working in a way that is clear and logical write a conclusion that draws together their results and explains what their answer means
Accuracy of writing	W1	For W1, candidates will be expected to: <ul style="list-style-type: none"> show all their working make few, if any, errors in spelling, punctuation and grammar use correct mathematical form in their working use appropriate terminology, units, etc

<p>10. Correctly drawn bar chart.</p>  <table border="1"> <caption>Data for Bar Chart</caption> <thead> <tr> <th>Vegetable</th> <th>Number of pupils</th> </tr> </thead> <tbody> <tr> <td>Peas</td> <td>100</td> </tr> <tr> <td>Carrots</td> <td>40</td> </tr> <tr> <td>Sweetcorn</td> <td>60</td> </tr> </tbody> </table>	Vegetable	Number of pupils	Peas	100	Carrots	40	Sweetcorn	60	<p>B3</p> <p>Bar widths can be one or two squares and must be consistent.</p> <p>B2 for one of the following:</p> <ul style="list-style-type: none"> sight of the three values Peas 100 Carrots 40 Sweetcorn 60 two correct values with correctly drawn graph for their values one correct value and the sum of the three values being 200 with correctly drawn graph for their values Correctly drawn bar heights with unequal bar widths <p>B1 for unambiguous sight of one or two values, or one correct bar height.</p> <p>SC1 for bars of equal width and of height 50, 20, 30 correctly drawn if 0 marks awarded.</p>
Vegetable	Number of pupils								
Peas	100								
Carrots	40								
Sweetcorn	60								
<p>11.(a) -2</p>	<p>B2</p> <p>Mark final answer.</p> <p>Award B2 for unsupported -2 provided not from incorrect working.</p> <p>Award B1 for one of the following:</p> <ul style="list-style-type: none"> sight of -20 (not $-20x$) sight of $(+)18$ (not $18y$ and not -18) -2 (with additional letters) a final answer of 38 or -38 (18 or -20 implied). 								
<p>11.(b) $2y - 3m$</p>	<p>B2</p> <p>Mark final answer.</p> <p>Must be an expression for B2.</p> <p>Award B1 for one of the following:</p> <ul style="list-style-type: none"> sight of $(+)2y$ sight of $-3m$ (do not allow $\dots - 3m$) $2y + -3m$. 								

<p>12. Showing</p> <p>41% and 35% and (45%)</p> <p>OR $\frac{41}{100}$ and $\frac{35}{100}$ and $\frac{45}{100}$</p> <p>OR (0.41) and 0.35 and 0.45</p> <p>OR three correct calculations for a common amount.</p> <p>45% 0.41 $\frac{7}{20}$ in order</p>	<p>B2</p> <p>B1</p>	<p>Award B2 for one of the following:</p> <ul style="list-style-type: none"> all correct % ($\frac{41}{100}$ and $\frac{35}{100}$ must be shown as 41% or 35%) all correct fractions <u>with a common denominator</u> (could include decimals as numerators and denominators) all correct decimals correct work using a common amount a valid combination that allows full comparison (e.g. $\frac{7}{20} = 0.35$ and $0.41 = 41\%$). <p>Award B1 for one of the following:</p> <ul style="list-style-type: none"> one correct conversion (percentage or decimal) two correct fractions with a common denominator two correct calculations for a common amount. <p>Allow any unambiguous indication (e.g. 'converted' values.)</p> <p>If first B1 awarded then allow a <u>strict FT</u> of 'their work' for a possible final B1.</p> <p>If first B0 awarded, then award the final B1 for a correct final answer, only if:</p> <ul style="list-style-type: none"> no incorrect conversions seen (e.g just 45/100 given), OR an unsupported correct final answer seen.
<p>13.(a)</p> 	<p>B2</p>	<p>Accept any indication.</p> <p>Award B1 for one of the following:</p> <ul style="list-style-type: none"> one correct dot with no more than one incorrect dot shown two correct dots with one incorrect dot shown.
<p>13.(b) $3 \times 5 \times p = 90$ or $90 \div (3 \times 5)$ or equivalent ($p =$) 6</p>	<p>M1 A1</p>	<p>M1 for complete method.</p> <p>Allow M1A1 for a correct embedded answer (e.g. $3 \times 5 \times 6 = 90$), BUT M1A0 if contradicted by $p \neq 6$. Unsupported 6 is awarded M1A1.</p>

14.(a) $9 \cdot 17 \div 7 \times 3$ or equivalent 3·93 (km) 3930 (m)	M1 A1 B1	Answer space takes precedence. May be seen in stages. FT 'their 3·93' $\times 1000$.																								
14.(a) <u>Alternative method (converting to m first)</u> 9170 (m) $9170 \div 7 \times 3$ or equivalent 3930 (m)	B1 M1 A1	Answer space takes precedence. FT 'their 9170' $\div 7 \times 3$ provided that the digits 917 are seen (i.e place value error).																								
14.(b) $\frac{25}{2 \times 60 + 5}$ ($\times 100\%$) or equivalent = 20 (%)	M2 A1	Allow 0·2 or $\frac{1}{125 \div 25}$ or $\frac{1}{5}$ to imply M2. Award M1 for an attempt at $\frac{25}{2 \text{ hours } 5 \text{ minutes}}$ but with incorrect denominator (e.g. 2·5, 2·05, 2 hours 5 minutes stated incorrectly with $2 \times 60 + 5$ not shown). CAO Mark final answer. If no marks awarded, award SC1 for sight of 125 (minutes).																								
14.(b). <u>Alternative Method</u> 125 minutes = (100%) 12·5 minutes = 10% 25 minutes = 20%	B1 M1 A1	CAO Mark final answer.																								
15.(a) 36	B1	Allow B1 for a correct embedded answer (e.g. $36 \div 4 = 9$ BUT B0 if contradicted by total $\neq 36$). Allow the sequence 9, 18, 27, 36 for B1, but only if no further numbers are shown.																								
15.(b) Four numbers including 11, 11 AND a pair of non-identical numbers whose sum is 14 <table border="1"><tr><td>1</td><td>13</td><td>11</td><td>11</td></tr><tr><td>2</td><td>12</td><td>11</td><td>11</td></tr><tr><td>3</td><td>11</td><td>11</td><td>11</td></tr><tr><td>4</td><td>10</td><td>11</td><td>11</td></tr><tr><td>5</td><td>9</td><td>11</td><td>11</td></tr><tr><td>6</td><td>8</td><td>11</td><td>11</td></tr></table>	1	13	11	11	2	12	11	11	3	11	11	11	4	10	11	11	5	9	11	11	6	8	11	11	B2	Numbers may be seen in any order. Accept answers using fractions, decimals or negative numbers. FT 11, 11 AND two numbers whose sum is 'their total' from (a) – 22 for a possible B2 or B1. Award B1 for four numbers with one of the following: <ul style="list-style-type: none">total = 36total = 'their total' from 5(a)four numbers with a unique mode of 11 (11, 11, ?, ? or 11, 11, 11, ? or 11, 11, 11, 11)7, 7, 11, 11.
1	13	11	11																							
2	12	11	11																							
3	11	11	11																							
4	10	11	11																							
5	9	11	11																							
6	8	11	11																							
16.(a) $1 - 0 \cdot 3 - 0 \cdot 1 - 0 \cdot 25$ or equivalent = 0·35 or equivalent	M1 A1	The value in the table takes precedence. Award M1 for complete method.																								
16.(b) 24	B2	Award B2 for a final answer of 24 : 20 or 20 : 24. Award B1 for one of the following: <ul style="list-style-type: none">$20 \div 0 \cdot 25 \times 0 \cdot 3$$80 - (8 + 28 + 20)$25% \rightarrow 20 5% \rightarrow 4 30% \rightarrow 20 + 4$0 \cdot 3 \times 80$ or $20 \times 1 \cdot 2$ or ...sight of 80other complete methodunsupported 24 as a numerator in a fraction < 1.																								

17. (length of small shaded square =) $\sqrt{16}$ or equivalent OR (length of large shaded square =) $\sqrt{144}$ or equivalent (length of small shaded square =) 4 (cm) (length of large shaded square =) 12 (cm) (total area of unshaded regions =) 96 (cm ²)	M1 A1 A1 B2	Check diagram for answers. Allow $16 \div 4 = 4$. Sight of 4 or 12 implies M1. FT 'their derived 4' \times 'their derived 12' \times 2 Award B1 for one of the following: <ul style="list-style-type: none">sight of 48 (cm²)4×12'their derived 4' \times 'their derived 12'.				
17. <u>Alternative Method (find total area of square)</u> (length of small shaded square =) $\sqrt{16}$ or equivalent OR (length of large shaded square =) $\sqrt{144}$ or equivalent (length of small shaded square =) 4 (cm) (length of large shaded square =) 12 (cm) (total area of unshaded regions =) $(4+12)^2 - 16 - 144$ 96 (cm ²)	M1 A1 A1 M1 A1	Check diagram for answers. Allow $16 \div 4 = 4$ Sight of 4 or 12 implies M1. Note: 256 - 160 Award M1 for complete method. FT ('their derived 4' + 'their derived 12') ² - 16 - 144				
18. $7y - 2 = 4y + 1 + 9$ or $7y - 2 = 4y + 10$ $7y - 4y = 10 + 2$ $3y = 12$ $y = 4$	B1 B1 B1 B1	FT until 2 nd error. Allow $7y - 2 - 9 = 4y + 1$ or $7y - 11 = 4y + 1$ Allow $7y - 4y = 1 + 11$. Mark final answer. If FT leads to a whole number answer, it must be shown as a whole number. Otherwise accept a fraction. An embedded, unsupported answer or an answer following trial and improvement of 4 without showing $7y - 2 = 4y + 1 + 9$ or equivalent gains B1 only. Note: <table border="1"><tr><td>$7y - 2 + 9 = 4y + 1$ B0 $7y - 4y = 1 - 7$ B1 $3y = -6$ B1 $y = -2$ B1</td><td>$7y - 2 = 4y + 1 - 9$ B0 $7y - 4y = -8 + 2$ B1 $3y = -6$ B1 $y = -2$ B1</td></tr><tr><td>$7y - 2 = 4y + 1$ B0 $7y - 4y = 1 + 2$ B1 $3y = 3$ B1 $y = 1$ B1</td><td></td></tr></table> If $3y = -6$ or $3y = 3$ seen with no previous workings, award B0 B1 B1 with a possible final B1 if correct answer seen. If no marks awarded, award SC1 for sight of the following: <ul style="list-style-type: none">$7y + 7 = 4y + 1$ (adding 9 on the wrong side)$4y + 10$$7y - 11$ (from correct working).	$7y - 2 + 9 = 4y + 1$ B0 $7y - 4y = 1 - 7$ B1 $3y = -6$ B1 $y = -2$ B1	$7y - 2 = 4y + 1 - 9$ B0 $7y - 4y = -8 + 2$ B1 $3y = -6$ B1 $y = -2$ B1	$7y - 2 = 4y + 1$ B0 $7y - 4y = 1 + 2$ B1 $3y = 3$ B1 $y = 1$ B1	
$7y - 2 + 9 = 4y + 1$ B0 $7y - 4y = 1 - 7$ B1 $3y = -6$ B1 $y = -2$ B1	$7y - 2 = 4y + 1 - 9$ B0 $7y - 4y = -8 + 2$ B1 $3y = -6$ B1 $y = -2$ B1					
$7y - 2 = 4y + 1$ B0 $7y - 4y = 1 + 2$ B1 $3y = 3$ B1 $y = 1$ B1						