Centre Number

First name(s)

wjec

3300U60-1

GCSE

WEDNESDAY, 15 NOVEMBER 2023 - MORNING

MATHEMATICS UNIT 2: CALCULATOR-ALLOWED HIGHER TIER

1 hour 45 minutes

ADDITIONAL MATERIALS

A calculator will be required for this examination.

A ruler, a protractor and a pair of compasses may be required.

INSTRUCTIONS TO CANDIDATES

Use black ink or black ball-point pen. Do not use gel pen or correction fluid.

You may use a pencil for graphs and diagrams only.

Write your name, centre number and candidate number in the spaces at the top of this page.

Answer all questions.

Write your answers in the spaces provided in this booklet. If you run out of space, use the additional page(s) at the back of the booklet, taking care to number the questions correctly.

Take π as 3.14 or use the π button on your calculator.

INFORMATION FOR CANDIDATES

You should give details of your method of solution when appropriate.

Unless stated, diagrams are not drawn to scale.

Scale drawing solutions will not be acceptable where you are asked to calculate.

The number of marks is given in brackets at the end of each question or part-question.

In question **3**, the assessment will take into account the quality of your linguistic and mathematical organisation, communication and accuracy in writing.




For Examiner's use only				
Question	Maximum Mark	Mark Awarded		
1.	4			
2.	6			
3.	6			
4.	3			
5.	4			
6.	3			
7.	3			
8.	2			
9.	5			
10.	6			
11.	7			
12.	3			
13.	1			
14.	3			
15.	3			
16.	3			
17.	5			
18.	8			
19.	5			
Total	80			

Formula List – Higher Tier
Area of trapezium =
$$\frac{1}{2}(a + b)h$$

Volume of prism = area of cross-section × length
Volume of sphere = $\frac{4}{3}\pi x^3$
Surface area of sphere = $4\pi x^2$
Volume of cone = $\frac{1}{3}\pi x^2h$
Curved surface area of cone = πx^2
In any triangle *ABC*
Sine rule $\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$
Cosine rule $a^2 = b^2 + c^2 - 2bc \cos A$
Area of triangle = $\frac{1}{2}ab \sin C$
The Quadratic Equation
The solutions of $ax^2 + bx + c = 0$ where $a \neq 0$ are given by $x = \frac{-b \pm \sqrt{(b^2 - 4ac)}}{2a}$
Annual Equivalent Rate (AER)
AER, as a decimal, is calculated using the formula $\left(1 + \frac{i}{n}\right)^n - 1$, where *i* is the nominal interest rate

per annum as a decimal and n is the number of compounding periods per annum.





Turn over.

Examiner


3300U601 03

	7.4 cm	E
(a)	5.7 cm 9.1 cm Diagram not drawn to scale Find the volume of the solid prism shown above.	[3]
(b)	The solid prism is made of gold. Gold has a density of 19.3 g/cm^3 .	
	Calculate the mass of the prism. Give your answer in kilograms .	[3]





3.	In this question, you will be assessed on the quality of your organisation, communication and accuracy in writing.	Examiner only
	Vera has two fair spinners. Each spinner is divided into quarters. One spinner shows the values 1, 2, 3 and 4. The other spinner shows the values 6, 7, 8 and 9.	
	Vera spins the two spinners. She then multiplies the two values together to form a product. For example, the diagram above forms the product $1 \times 7 = 7$. Consider the ways in which all the possible products can be formed. Calculate the probability that the spinners will form a product that is a factor of 36. You must show all your working to justify your answer. [4 + 2 OCW]	
		3300U601 05





$x^3 + 6x = 80$	
es between 3 and 4.	
Jse the method of trial and improvement to find this solution correct to 1 decimal place fou must show all your working.	e. [4]








t	Frequency	
20 ≤ <i>t</i> < 30	2	
30 <i>≤ t</i> < 40	8	
40 ≤ <i>t</i> < 50	4	
50 ≤ <i>t</i> < 60	а	
60 ≤ <i>t</i> < 70	3	
70 ≤ <i>t</i> < 80	5	







Examiner **11.** (a) Factorise $6x^2 + 19x + 10$. [2] Fully factorise the expression $m^3 - 25m$. (b) [3] Factorise (p+7)(p+29)+2(p+7). (C) [2]

12

only




12.	Triangle ABC has s $BAC = 29^{\circ}$.	ides $AB = 36.1 \text{cm}$	n and <i>AC</i> = 13⋅8 c	m, as shown belo	DW.	Examiner only
				\square	,B	
			36·1 cm			
	A	29°				
			3 cm C			
			ram not drawn to	scale		
	Calculate the lengtl	h of the side <i>BC</i> .				[3]
						······
		216				
13.	Calculate the cube Circle the correct a	root of 8×10 ²¹⁰ . nswer.				[1]
	2×10^{6}	2×10 ⁷²	2×10^{216}	8×10^{6}	8×10 ⁷²	
	13	© WJEC CBAC Ltd.	(3300U60-1)		Tur	n over.


The surface area of the smaller solid is 5300 Calculate the surface area of the larger solid.	[3]
	[-]




Use the formula	C.	
	$a = b - \frac{c}{d}$	
to calculate the greatest possible val	lue of a.	
to calculate the greatest possible val Give your answer correct to 2 decim You must show all your working.	al places.	[3]
Tou must show an your working.		[5]










Examiner only Calculate the probability that one of the three children does not receive a ball. [3] (b) _____ 19







	E
(b) Hence, calculate the area of triangle <i>CGE</i> .	[2]
21 © WJEC CBAC Ltd. (3300U60-1)	

ive your answers as decimal numbers. ou must show all your working.	
	······

Question number	Additional page, if required. Write the question number(s) in the left-hand margin.	Examiner only



(3300U60-1)

BLANK PAGE

24

PLEASE DO NOT WRITE ON THIS PAGE

